

Product Catalog

2014

www.LegacyCarAudio.com

LEGACY[®]

2014

www.LegacyCarAudio.com

LDN7U 7" Motorized Detachable Touch Screen TFT/LCD Monitor With DVD/CD/MP3/AM/FM Player

- AM/FM-MPX 2 Band Radio
- PLL Synthesizer Tuner
- Auto Store/Preset Scan
- 3 Color Illumination
- 30 Station Memory
- Touch Screen Control Operation
- Full Motorized Screen Telescopes Out And Up
- Flip Down Detachable Front Panel
- LCD Digital Display
- On Screen Display Title, Time, Chapter, Subtitle
- Treble/Bass/Balance/Fader/Encoder Volume
- PAL/NTSC Color System
- Resolution: 1440x234 Pixels
- Brightness: 400 Nits
- Full Function Remote Control

- Last Position Memory
- ESP (Electronic Shock Protection)
- Anti-Shock Mechanism
- LO/DX & St/Mo Selector
- Repeat/Intro/Random
- Clock Function & Mute Control
- Preset EQ
- A/V Input & A/V Output/RCA Line Out
- Rear Camera Output
- Parking Video Input
- SD/MMC Card Slot W/USB Connector
- RDS-Eon
- ISO Connector
- USA/Europe Frequency Switch
- 4 x 80 Watts / 320 Watts Power Output



LDN27U 7" TFT Double DIN CD/CDR/CDRW/MP3 Compatible with USB Port & SD reader

- Double DIN Mounting DVD Player
- 7" TFT CD/CDR/CDRW/MP3 Compatible
- with USB Port & SD reader
- AM/FM-MPX PLL Tuning Radio
- Full Function Remote Control
- Dual ZOne Function
- ISO Connector
- Support Outer USB Playback
- PLL Synthesizer Tuner
- Touch Screen Control Operation
- Treble/Bass/Balance/Fader/Encoder Volume
- Resolution: 1440x234 Pixels
- Brightness: 400 Nits
- ESP (Electronic Shock Protection)
- Anti-Shock Mechanism

- Repeat/Intro/Random
- Clock Function & Mute Control
- RCA Line Out
- A/V Input & A/V Output
- Rear Camera Output
- Auto Memory Store/ Preset Scan
- 30 Preset Stations (18FM/ 12AM)
- On Screen Display
- Multi System (NTSC/PAL Selectable)
- On Screen Display Title, Time, Chapter, Subtitle
- Last Position Memory
- USA/Europe Frequency Switch
- 4 x 80 Watts / 320 Watts Power Output
- Dimensions: 7.26"W X 4.08"H X 6.36"D



LCD31D AM/FM LCD Display Receiver Auto Loading CD Player W/Detachable Face

- AM/FM 2 Band Radio
- Auto Loading CD Player
- LCD Digital Display w/ LED Counter Display
- Detachable Front Panel
- Rotary Tuning Control
- Electronic Volume Control

- Fwd/Back/Rpt Function
- Mute Function
- Band/Loc Function
- RCA Line Out
- Installation Hardware Instructions Included
- 4 x 50W / 200 Watts Max Power



LMR10.1 9" High Resolution TFT Roof Mount Monitor w/ IR Transmitter & Wireless Remote Control

- 9" TFT Wide Screen Monitor
- Dual Dome Light Universal
- Roof Mount Console
- PAL NTSC Multi-System
- 45° Swivel Screen
- High Resolution 800 x 600
- Two Video Inputs

- One Audio Input & One Audio Output
- English OSD Menu
- Full Function Wireless Remote Control
- Built-In IR Transmitter for Wireless IR Head-phones
- Power Input: DC12V



LMR1344 13" TFT LCD Roof Mount Monitor W/IR Transmitter & Swivel

- 13 Inch Roof Mount TFT LCD Color Monitor
- NTSC/PAL Multi-System
- Display: TFT Active Matrix System
- High Resolution
- Dual Dome Lights
- Two Video inputs
- Wireless Remote Control
- IR Output for Use with IR Headphone
- Swivel Monitor
- OSD Menu
- Power Input: DC 12V
- Dimensions: 12.67" x 10.82" x 1.18"



LMR15.1 High Resolution TFT Roof Mount Monitor w/ IR Transmitter & Wireless Remote Control

- TFT Wide Screen Monitor
- Dual Dome Light Universal
- Roof Mount Console
- PAL NTSC Multi-System
- 45° Swivel Screen
- High Resolution 800 x 600
- Two Video Inputs
- One Audio Input & One Audio Output
- English OSD Menu
- Full Function Wireless Remote Control
- Built-In IR Transmitter for Wireless IR Headphones
- Power Input: DC12V
- Dimensions: 13.5" x 11.7" x 1.25"



LMR15.2 High Resolution TFT Roof Mount Monitor W/ IR Transmitter

- TFT Active Matrix Monitor
- Overhead Console w/ Flip Bracket
- Wide Angle, off Axis Visibility
- Resolution: 800 x 600
- 4:3 Display Format
- Front Panel Controls
- 2 Audio Video Inputs
- Swivel Bracket Permits 45° L/R Rotation
- NTSC/PAL System
- OSD English Menu
- Built-In IR Transmitter for wireless IR Headphones
- Wireless remote Control
- Power Supply DC12V
- Dimension: 13.5 x 13 x 1.8 inch



LMR17.2 High Resolution TFT Flip Down Roof Monitor & IR Transmitter

- TFT LCD Flip Down Monitor
- Super Slim Design
- On Screen Display - Menu Display Mode: 4:3
- Swivel Screen
- High Resolution: 1024 x 768
- 2AV Inputs
- Built-In IR Transmitter for Wireless IR Headphones
- Full Function Remote Control
- Dual Dome Light. Universal Roof Mount Console



LMRD21 TFT Flip Down Roof Mount W/ Built-In DVD/SD/USB Player/Wireless FM Modulator & IR Transmitter

- TFT Flip Down Roof Mount
- DVD + RW/JPEG/MP3/MPEG4
- TFT active Matrix Display System
- Resolution: 1680 x 1050 RGB
- Contrast Ratio: 500: 1
- 16: 10 High Resolution Wide Screen Display
- PAL/NTSC System Compatible
- 1 A/V Input
- 1 A/V Output
- Built- In IR Transmitter
- Built- In FM Transmitter
- Full Function Remote Control
- Dome Lamps
- Power Supply: DC 12V
- Actual LCD Visual 19"
- Unit Weight: 13 Lbs
- Unit Dimensions: 21.46" (W) x 17.13"(D) x 2.56" (H)



2014

www.LegacyCarAudio.com

LWF8X 8" 300 Watt Legacy "L" Series Woofers

- Brown Injected Polypropylene Cone
- Specially Treated Black Rubber Edge Suspension
- Bumped & Vented Motor Structure
- 1.5" High Temperature Kapton Voice Coil
- Heavy Magnet Structure
- 4 Ohm Impedance
- 150 Watts RMS/300 Watts Peak
- SPL @ 1W/1M: 88.6dB
- Overall Diameter: 7.28"
- Mounting Depth: 3.31"
- Magnet Weight: 50 oz.



LWF10X 10" 400 Watt Legacy "L" Series Woofers

- Brown Injected Polypropylene Cone
- Specially Treated Black Rubber Edge Suspension
- Bumped & Vented Motor Structure
- 1.5" High Temperature Kapton Voice Coil
- Heavy Magnet Structure
- 4 Ohm Impedance
- 200 Watts RMS/400 Watts Peak
- SPL @ 1W/1M: 89.6dB
- Overall Diameter: 9.17"
- Mounting Depth: 4.17"
- Magnet Weight: 70 oz.



LWF12X 12" 500 Watt Legacy "L" Series Woofers

- Brown Injected Polypropylene Cone
- Specially Treated Black Rubber Edge Suspension
- Bumped & Vented Motor Structure
- 1.5" High Temperature Kapton Voice Coil
- Heavy Magnet Structure
- 4 Ohm Impedance
- 250 Watts RMS/500 Watts Peak
- SPL @ 1W/1M: 89.0dB
- Overall Diameter: 10.83"
- Mounting Depth: 4.92"
- Magnet Weight: 80 oz.



LWFX107 10" 600 Watt Legacy "L" Series Subwoofer

- Brown Injected Polypropylene Cone
- Specially Treated Wide Rubber Edge Suspension
- Bumped & Vented Motor Structure
- 1.5" High Temperature Kapton Voice Coil
- Heavy Magnet Structure
- 4 Ohm Impedance
- 300 Watts RMS/600 Watts Peak
- SPL @ 1W/1M: 94.4dB
- Overall Diameter: 9.96"
- Mounting Depth: 4.17"
- Magnet Weight: 70 oz.



LWFX127 12" 800 Watt Legacy "L" Series Subwoofer

- Brown Injected Polypropylene Cone
- Specially Treated Wide Rubber Edge Suspension
- Bumped & Vented Motor Structure
- 2" High Temperature Kapton Voice Coil
- Heavy Magnet Structure
- 4 Ohm Impedance
- 400 Watts RMS/800 Watts Peak
- SPL @ 1W/1M: 95.5dB
- Overall Diameter: 11.93"
- Mounting Depth: 4.80"
- Magnet Weight: 80 oz.



LT18 3.25" 300 Watt Aluminum Die Cast Super Titanium Tweeters

- 3.25" Aluminum Bullet Horn w/1" Super Tweeter
- Frequency Response: 2K-25KHz
- 20 oz. Magnet Structure
- High Efficiency Titanium Diaphragm
- 300 Watts Rated Power
- 1" High Temperature Kapton Voice Coil
- Ferro Fluid Enhanced
- Impedance: 4/8 Ohm
- SPL: 96dB
- Mounting Depth: 1-9/16"



LS328 3.5" 120 Watt Two-Way Speakers

- 3.5" Brown Injected-Molded Polymica Cone Woofer
- Specially Treated Rubber Edge Suspension
- 20 oz. Magnet Structure
- 9.75" High Temperature Aluminum Voice Coil
- 1.75" Aluminum Film High Frequency Tweeter
- Black Anodized Speaker
- 120 Watts Rated Power
- Sensitivity: 88 dB
- Frequency Response: 120Hz-18k Hz
- Speaker Impedance: 4 Ohms
- Mounting depth: 2.125"



LN60 High Level to RCA Adaptor

- Converts High Level Speaker Output to RCA
- Line Level/Adjustable Level Control
- Sleek Black Color
- Allows the Easy Installation of EQ's & Amplifiers to Systems with No RCA Outputs




LN71 12 Amp Noise Suppressor

- Easily Installed
- Rated up to 12 Amps
- Reduces & Eliminates Engine Interference
- Compatible w/Receiver, Equalizers & Amplifiers



LN77 35 Amp Noise Suppressor

- 35 Amp Transistorized Noise Suppressor
- Operating Bandwidth: 500Hz-10kHz
- Easily Installed
- Reduces and Eliminates Ignition/Alternator Noise
- Transparent Housing
- Compatible w/Receivers, CB's, Equalizers, Amplifiers



LAMP1 1000 Watt 8 Gauge Amplifier Installation Kit

- 1000 Watt 20ft. Amplifier Hookup Kit
- Kit Includes:
 - In-line See-Thru Water Resistant AGU Fuse Holder
 - 20ft. 8 Gauge Wire
 - 4ft. 8 Gauge Ground Wire
 - 20ft. 16 Gauge Remote Turn-On
 - 20ft. 12 Gauge Wire
 - 20ft. Right Angle Interconnect Audio Cable
 - 6ft. Black Cable Conduit



LAMP4 1600 Watt 4 Gauge Amplifier Installation Kit

- 20ft 4 Gauge Clear Red Power Wire
- 4ft 4 Gauge Clear Black Ground Wire
- 20ft 16 Gauge Blue Remote Turn-on
- 20ft 12 Gauge Speaker Wire
- 20ft Right Angle RCA Interconnect Cable
- 6ft Black Split Loom Cable Conduit
- AGU Type 60A Gold Plated Fuse

